#### **CORRECTION Open Access**



# Correction to: Oxytocin ameliorates impaired Contraction to: Oxytoci social behavior in a mouse model of 3q29 deletion syndrome

Tomoya Takemoto<sup>1</sup>, Masayuki Baba<sup>1</sup>, Kazumasa Yokoyama<sup>2</sup>, Kohei Kitagawa<sup>1</sup>, Kazuki Nagayasu<sup>1,3</sup>, Yukio Ago<sup>4</sup>, Kaoru Seiriki<sup>1,5</sup>, Atsuko Hayata-Takano<sup>1,6</sup>, Atsushi Kasai<sup>1</sup>, Daisuke Mori<sup>7,8</sup>, Norio Ozaki<sup>7</sup>, Kazuhiro Takuma<sup>6,9</sup>, Ryota Hashimoto<sup>10</sup>, Hitoshi Hashimoto<sup>1,6,10,11,12,13\*</sup> and Takanobu Nakazawa<sup>1,10,14\*</sup>

## Correction to: Molecular Brain (2022) 15:26 https://doi.org/10.1186/s13041-022-00915-w.

Following publication of the original article [1], a typesetting error was identified in the article title.

The article title was incorrectly published as: Molecular brain (micro report) oxytocin ameliorates impaired social behavior in a mouse model of 3q29 deletion syndrome.

The article title should read: Oxytocin ameliorates impaired social behavior in a mouse model of 3q29 dele-

The error has been corrected and the original article has been updated. The publisher apologises to the authors and readers for the inconvenience caused by this mistake.

#### **Author details**

<sup>1</sup>Laboratory of Molecular Neuropharmacology, Graduate School of Pharmaceutical Sciences, Osaka University, Suita, Osaka 565-0871, Japan. <sup>2</sup>Discovery Accelerator, Astellas Pharma Inc., Tsukuba-shi, Ibaraki 305-8585, Japan. <sup>3</sup>Department of Molecular Pharmacology, Graduate School of Pharmaceutical Sciences, Kyoto University, Sakyo-ku, Kyoto 606-8501, Japan. <sup>4</sup>Department

The original article can be found online at https://doi.org/10.1186/s13041-

of Cellular and Molecular Pharmacology, Graduate School of Biomedical and Health Sciences, Hiroshima University, Minami-ku, Hiroshima 734-8553, Japan. <sup>5</sup>Interdisciplinary Program for Biomedical Sciences, Institute for Transdisciplinary Graduate Degree Programs, Osaka University, Suita, Osaka 565-0871, Japan. <sup>6</sup>United Graduate School of Child Development, Molecular Research Center for Children's Mental Development, Osaka University, Kanazawa University, Hamamatsu University School of Medicine, Chiba University and University of Fukui, Suita, Osaka 565-0871, Japan. <sup>7</sup>Department of Psychiatry, Nagoya University Graduate School of Medicine, Nagoya, Aichi 466-8550, Japan. <sup>8</sup>Brain and Mind Research Center, Nagoya University, Nagoya, Aichi 466-8550, Japan. 9Department of Pharmacology, Graduate School of Dentistry, Osaka University, Suita, Osaka 565-0871, Japan. 10 Department of Pathology of Mental Diseases, National Institute of Mental Health, National Center of Neurology and Psychiatry, Kodaira, Tokyo 187-8553, Japan. <sup>11</sup>Division of Bioscience, Institute for Datability Science, Osaka University, Suita, Osaka 565-0871, Japan.  $^{12}$ Transdimensional Life Imaging Division, Institute for Open and Transdisciplinary Research Initiatives, Osaka University, Suita, Osaka 565-0871, Japan. <sup>13</sup>Department of Molecular Pharmaceutical Science, Graduate School of Medicine, Osaka University, Suita, Osaka 565-0871, Japan. <sup>14</sup>Laboratory of Molecular Biology, Department of Bioscience, Graduate School of Life Sciences, Tokyo University of Agriculture, 1-1-1 Sakuragaoka, Setagaya-ku, Tokyo 156-8502, Japan.

Published online: 11 April 2022

#### Reference

Takemoto T, Baba M, Yokoyama K, Kitagawa K, Nagayasu K, Ago Y, Seiriki K, Hayata-Takano A, Kasai A, Mori D, Ozaki N, Takuma K, Hashimoto R, Hashimoto H, Nakazawa T. Oxytocin ameliorates impaired social behavior in a mouse model of 3q29 deletion syndrome. Mol Brain. 2022;15:26. https:// doi.org/10.1186/s13041-022-00915-w.

### Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© The Author(s) 2022. Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

<sup>\*</sup>Correspondence: hasimoto@phs.osaka-u.ac.jp; tn207427@nodai.ac.jp <sup>1</sup> Laboratory of Molecular Neuropharmacology, Graduate School of Pharmaceutical Sciences, Osaka University, Suita, Osaka 565-0871,

<sup>&</sup>lt;sup>14</sup> Laboratory of Molecular Biology, Department of Bioscience, Graduate School of Life Sciences, Tokyo University of Agriculture, 1-1-1 Sakuragaoka, Setagaya-ku, Tokyo 156-8502, Japan Full list of author information is available at the end of the article